


## Washover Pipe



Washover pipe is a special tool to release the stuck section of drill string in the well bore. AEI offers a complete range of Washover pipes in the industry. AEI's unique FJWP thread is a two-step double shoulder thread that assures quick make-up and high torsion strength.

### Accessories for Washover Pipes:



Drive sub

#### Drive Sub:

A Drive Sub is used to connect the fishing string to the washover pipe. Machined from high-grade alloy steel and heat-treated for maximum strength and durability.

#### Lift Plug:

The Lift Plug provides an economical way of handling washover strings. It is available in all thread types and sizes and has a sufficient shoulder diameter to support handling the washover string.



Lift Plug



+971 52 864 9998



[www.aeismaterials.com](http://www.aeismaterials.com)  
[info@aeismaterials.com](mailto:info@aeismaterials.com)



United Arab Emirates | Pakistan | United States of America



Washover Safety Joint

**Washover Safety Joint:**

This joint is designed to provide safe and easy disengagement from the washover string as needed. It can transmit torque in either direction when placed in the washover string. Field-tough and dependable, the joint is ideal for use in challenging conditions.

**Rotary Shoes:**

The Rotary Shoes are made from specially heat-treated alloy to ensure toughness and durability. They are used to cut a clearance between the fish and the wellbore wall.



Rotary Shoe



+971 52 864 9998



[www.aeisupplies.com](http://www.aeisupplies.com)  
[info@aeisupplies.com](mailto:info@aeisupplies.com)



United Arab Emirates | Pakistan | United States of America

Model	O.D	I.D	Wall Thickness	Min. Hole Size	Max. Mill Size	Max. Tensile Load	Connection Field Torque	Seal Pressure
	mm					kN	N.m	Mpa.
TXG114.30-8.56	114.30	97.18	8.56	120.65	80.90	390	9490	20
TXG127-9.19	127.00	108.62	9.19	146.05	101.60	440	12202	20
TXG139.70-9.17	139.70	121.36	9.17	152.4	117.48	500	14914	20
TXG146.05-7.92	146.05	130.21	7.92	161.93	127.00	500	14914	20
TXG146.05-9.00	146.05	128.05	9.00	161.93	120.65	560	16269	20
TXG168.28-8.94	168.28	150.39	8.94	187.33	142.88	600	21693	15
TXG177.80-9.19	177.80	159.42	9.19	200.03	152.40	640	24404	15
TXG193.68-9.53	193.68	174.63	9.53	212.73	168.28	700	31183	15
TXG193.68-10.92	193.68	171.83	10.92	212.73	165.10	810	36607	15
TXG193.68-12.70	193.68	168.28	12.70	212.73	161.93	1060	43386	15
TXG203.20-9.53	203.20	184.15	9.53	215.90	177.00	820	32539	15
TXG206.38-9.40	206.38	187.58	9.40	215.90	177.80	830	32539	15
TXG219.07-11.43	219.07	196.21	11.43	244.48	187.33	1100	47453	15
TXG219.07-12.70	219.07	193.67	12.70	244.48	184.15	1220	54232	15
TXG228.60-10.80	228.60	207.01	10.80	250.83	200.03	1260	47453	15
TXG244.48-11.99	244.48	220.50	11.99	266.70	212.73	1460	67791	15
TXG244.48-13.84	244.48	216.80	13.84	266.70	206.37	1560	81349	15
TXG273.05-11.43	273.05	250.19	11.43	290.45	238.13	1620	81349	15
TXG273.05-12.57	273.05	247.91	12.57	298.45	234.95	1640	88128	15
TXG298.44-12.42	298.44	273.60	12.42	323.85	263.53	1800	108465	10
TXG339.72-13.06	339.72	313.60	13.06	365.13	301.62	2020	149140	10
TXG406.40-16.66	406.40	373.08	16.66	444.50	355.60	2500	254894	7.0



+971 52 864 9998



www.aeisupplies.com  
 info@aeisupplies.com



United Arab Emirates | Pakistan | United States of America